

# LUCKBOIL



# PRODUCT MANUAL

[www.luckboil.com](http://www.luckboil.com)



Ningbo Luckboil Electrical Appliance Co.,Ltd.

☎ 4009 260 180

# COMPANY PROFILE

Drink Easily Enjoy Your Life



Luckboil Electrical Appliance Company is a manufacturer which is specializing in the production of water treatment, purification and drinking water devices and was established in 2014, located in Ningbo, Zhejiang. Our company has gathered advanced production equipment, professional R&D team and mature sales channels, establishing a full covered marketing through online diversification, offline multi-channel, OEM/ODM etc. The company has multiple national invention patents and continues to introduce high-quality and cost-effective products, which have been highly praised by customers for years in the market.

Industry Experience

**10**  
Years

Patented Technology

**58**  
Items

Offline Stores

**1000**  
Stores

Factory Area

**14400**  
Square Meters

# PRODUCT CATEGORIES



## WATER DISPENSER

- 01 Wall-Mounted Water Dispenser
- 02 Floor Standing Water Dispenser
- 03 Tabletop Water Dispenser



## WATER FAUCET

- 01 Instant Hot/Ambient Water Tap
- 02 Instant Hot/Cold/Ambient Water Tap



## WATER PURIFIER

- 01 RO Water Purifier
- 02 Pre-Filter



## ICE MAKER

- 01 Bullet Ice Maker
- 02 Cube Ice Maker



## SPARKLING WATER MAKER

LUCKBOIL



## ACCESSORIES

LUCKBOIL

LUCKBOIL

Drink Easily  
Enjoy Your Life



# Water Dispenser

## Hot and Cold Smart Wall-Mounted

LB-A000G102



≦45dB

Low Noise Working



5-Stage

Intelligent Temp. Control



3-Stage

Adjustable Water Volume




2s

Fast Heat

☎ 4009 260 180 Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.

Website: [www.luckboil.com](http://www.luckboil.com)



## Five Safety Protection



Child safety lock



Leak-proof



Frost protection



Water and electricity isolation



Anti-dry burning protection



### Thermoelectric Cooling Technology

Quiet and fast cooling  
cool to 7-15°C in seconds



### Thick-Film Heating Technology

Fast and accurate heating  
water will not boil repeatedly



### One-Touch Cleaning Function

No need to removable cleaning



### Food Grade Materials

Safe and healthy  
no offensive odor

Function Modules	Technical Parameter				
Water Outlet Modes	25°C	45°C	65°C	100°C	Ice Water
Cooling Temp.	15°C (May vary with climate)				
Water Outlet Capacity	150mL	300mL	500mL		
Rated Voltage	220V-50Hz				
Rated Wattage	2200W				
Ambient Humidity	≤90%				
Water Inlet Pressure	0.1-0.4Mpa				
Weight	3.95KG				
Size	280mmx185mmx460mm				
Match	Matching RO machines				

**LUCKBOIL**

Drink Easily  
Enjoy Your Life

# Water Dispenser

## Smart Wall-Mounted

LB-A000G12F



**2S**  
Fast Heat



**2-stage**  
Adjustable Water Volume



**5-stage**  
Intelligent Temp. Control



**≤50dB**  
Low Noise Working

**☎ 4009 260 180 Ningbo Luckboil Electrical Appliance Co.,Ltd.**


Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)



## Five Safety Protection



Anti-dry burning protection



Child safety lock



Frost protection



Water leak protection



Electric leakage protection



### Quartz Tube Heating Technology

Fast heating, efficient and safety

QUARTZ TUBE



### One-Touch Cleaning Function

No need to removable cleaning

ONE-TOUCH



### Food Grade Materials

Safe and healthy, no offensive odor

FOOD GRADE



### Two Operating Modes

Silicon crystal touchscreen + Knob

TWO OPERATING

Function Modules	Technical Parameter				
Water Outlet Modes	25°C	45°C	65°C	85°C	100°C
Water Outlet Capacity	300ml		500ml		
Rated Voltage	220V-50Hz				
Ambient Humidity	≤90%				
Water Inlet Pressure	0.1-0.4Mpa				
Rated Wattage	2200W				
Weight	2.4KG (Net.)				
Standby Power Cons.	0.09KW.h/24h				
Size	280mmx122mmx460mm				
Hot Water Output	≥90°20L/h				
Match	Matching RO machines				

**LUCKBOIL**

Drink Easily  
Enjoy Your Life

# Wall-Mounted Water Dispenser Instant Hot

LB-HG16A



**2S**  
Fast Heat



**3-stage**  
Adjustable Water Volume



**5-stage**  
Intelligent Temp. Control



**10°**  
Angle Prevent Screen Fogging



☎ **4009 260 180** Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)



# LUCKBOIL

## LB-HG16A




**Boiling Point Adjustment**  
Adjustable based on different altitudes.



**Water Outlet with Vapor Separation Design**  
Prevent water splashing.



**Turn off and water stop**  
No dripping water.



**Removable Water Tray**  
Easy to clean and prevent water accumulation.



**Silicon Crystal Material Screen**  
Beautiful, eco-friendly and durable.



White



Black



### Five Safety Protection

Prevent water leak, electric leak, dry burning, frost damage and child safety lock.



### Thick-Film Heating Technology

Fast and precise heating, no repeatedly boiled water



### One-Touch Cleaning Function

Ensure fresh and pure water



### Food Grade Materials

Safe and healthy, no odor

Function Modules	Technical Parameter				
<b>Water Outlet Temp.</b>	25°C	45°C	65°C	85°C	100°C
<b>Water Outlet Cup Capacity</b>	150ml	300ml		500ml	
<b>Power Consumption</b>	220V/50Hz, 2200W				
<b>Standby Power Cons.</b>	0.09kW ·h/24h				
<b>Hot Water Output</b>	≥90°C 20L/h				
<b>Water Inlet Pressure</b>	0.1MPa-0.4MPa				
<b>Ambient Temp. /Humidity</b>	4°C~40°C, ≤90%				
<b>Size(L*W*H)/Weight</b>	291×137×371mm, 3KG				
<b>Water source</b>	Drinkable pure water				
<b>Match</b>	Match RO purifier				

**LUCKBOIL**

Drink Easily  
Enjoy Your Life

# Water Dispenser

## Fresh and Pure Drinking Water

LB-RL01BS



1S  
Instant Cooling



$\leq 10^{\circ}\text{C}$   
Ice Water



5-Stage Filtration



8s Fill a Cup of Water



$\leq 45\text{dB}$  Low noise working

☎ **4009 260 180** Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)



## 5-Stage Premium Filtration

- PP-10CF
1 **Polypropylene Melt-Blown Filter**  
 Effectively remove suspended solids  
 silt, rust, etc.
- CTOS-10CF
2 **Activated Carbon Filter**  
 Effectively remove chlorine  
 abnormal color and odor in water.
- RO-10CF
3 **Reverse Osmosis Membrane Filter**  
 Remove inorganic salts, heavy metals  
 bacteria, virus and other harmful substances.
- T33S-10CF
4 **Post-Carbon Filter**  
 Further enhance the taste of the water.
- 5 **UV Sterilization**  
 Kill residual bacteria and viruses.



**Intelligent**  
Flushing and Disinfection

**Large Flux**  
Water Production

**Filter**  
Replacement Reminder

**Touch panel**

Function Modules		Technical Parameter		
Water Outlet Modes	Ice Water	25°C	Cooling Temp.	5°C(May vary with climate)
Water Inlet Temp.	5~38(°C)		Water Inlet Pressure	0.1-0.4(Mpa)
Rated Voltage	220-240(V)		Rated Frequency	50Hz
Cooling Power	125W		Purified Water Production Rate	150 GPD
Salt Removal Rate	Not less than 90%		Recovery Rate	55%
Pure Water Flow Rate	0.39L/min		Water Efficiency Ratio	Grade 2
Ice Water Production Capacity	4L/h (25°C room water , ice water is ≤10°C)			
Water Outlet Flow Rate	When the water tank is full, the normal water flow rate is ≥1.5L/min, and the ice water flow rate is ≥1.2L/min.			

**LUCKBOIL**

Drink Easily  
Enjoy Your Life

# Water Dispenser with Ice Maker

LB-RL01BK



**1S**  
Instant Cooling



**5-Stage**  
Filtration



**≤5°C**  
Ice Water



**15KG/Day**  
Ice Making Capacity



☎ **4009 260 180** Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.

Website: [www.luckboil.com](http://www.luckboil.com)






Available in cold, ambient water and nugget ice.



Bayonet filter cartridges for convenient replacement.



Meet the drinking demand of more than 15 persons.



Best dispenser for office, restaurant, mall, cafeteria, hospital, etc



**Five-Stage Filtration**  
PP+CTO+RO+T33+UV.



**Filter Replacement Reminder**



**150GPD High Flow**



**Touch Panel**

Function Modules	Technical Parameter
Model	LB-RL01BK
Power Consumption	220V/50Hz, 120W
Cold Water Tank	4L
Total Purified Water Capacity	2000L
Water Purification Speed	150GPD (0.39L/min)
Water Efficiency	Level 2
Cooling Water Capacity	>4L/H
Ice Making Capacity	15kg/24h (Nugget ice)
Dimensions	428x388x1400mm

**LUCKBOIL**

Drink Easily  
Enjoy Your Life

# Tabletop Water Dispenser Instant Hot

LB-A0150T04



**2S**  
Fast Heat



**3-Stage**  
Water Volume



**3 Water**  
Dispensing Methods



**10-Stage**  
Temp. Control

☎ **4009 260 180** Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)





### Thick-Film Heating Tech.

Fast and accurate heating  
eco-friendly and efficient



### Child Safety Lock

Protect family



### Food Grade Materials

Safe and healthy



### Instant Heating and Drinking

Healthy and convenient

Function Modules	Technical Parameter
Water Outlet Temp.	25 °C、45°C、55°C、70°C、75°C、80°C、85°C、90°C、95°C、100°C
Rated Voltage	220V
Rated Frequency	50HZ
Rated Wattage	2200W
Water Outlet Capacity	150ml、230ml、300ml
Water Inlet Pressure	0.03~0.6Mpa
Net Weight	2.9KG
Water Tank Capacity	1.5L
Size	270x195x270mm

# LUCKBOIL

Drink Easily  
Enjoy Your Life

## Hot and Cold Water Faucet

LB-HC01A



**2S**  
Fast Heat



**5-Stage**  
Intelligent Temp. Control



**≤10°C**  
Ice Water



**180°**  
Rotatable Faucet



☎ **4009 260 180** Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)





PVD surface treatment  
Eco-friendly and anti-fingerprint



≥85°C Hot water need to  
press for more than 1 second



Curved Silicon Crystal Touchscreen  
High hardness and excellent touch feel



### Hot and Cold Dual-Tube Tech.

Anti-temperature crossover design  
control temperature precisely



### Thick-Film Heating Tech.

Fast and accurate heating  
eco-friendly and durable



### No Pre-Buried Pipe Required

Easy and quick installation



### Thermoelectric Cooling Tech.

Quiet and fast cooling to ≤10°C

Function Modules	Technical Parameter				
Water Outlet Modes	Ice water	25°C	45°C	85°C	100°C
Produce Hot Water Capacity	≥ 37L/H				
Hot Water Flow	≥630mL/min(≥90°)				
Rated Voltage	220V-50Hz				
Cooling Water Capacity	1.2L/H (The first time)				
Water Inlet Pressure	0.1-0.4Mpa				
Rated Wattage	3200W				
Weight	3.19KG				
Product Size	290*105*350 (mm)				
Hole Diameter	26-28mm				
Ice Water Outflow Rate	1L/min				

**LUCKBOIL**

Drink Easily  
Enjoy Your Life

# Instant Hot Water Faucet

LB-LS01



**2S**  
Fast Heat



**4-Stage**  
Intelligent Temp. Control



**10.5cm**  
Ultra-Thin Machine




**180°**  
Rotatable Faucet



☎ **4009 260 180** Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)





Encoder Knob



Baking Finish Technology



Child Safety Lock



Food Grade Material



### Thick-Film Heating Tech.

Fast and accurate heating  
eco-friendly and durable



### Hot and Cold Dual-Tube Tech.

Anti-temperature crossover design  
control temperature precisely



### Adjustable Water Volume

Prevent overflowing



### No Pre-Buried Pipe Required

Easy and quick installation

Function Modules	Technical Parameter			
Water Outlet Modes	25°C	45°C	65°C	100°C
Produce Hot Water Capacity	≥ 90°20L/H			
Water Inlet Temp.	5°C-38°C			
Ambient Humidity	≤90%			
Water Inlet Pressure	0.1-0.4Mpa			
Rated Wattage	2200W/3200W			
Rated Voltage	220V-50Hz			
Material	Stainless steel			
Product Size	290mmx105mmx350mm			
Hole Diameter	26-28mm			
Weight	3.09KG (Net.)			

**LUCKBOIL**

Drink Easily  
Enjoy Your Life

# RO Water Purifier

## Freshness Every Drop of Water

LB-RC06A



**2:1**  
purified water ratio



**42dB**  
Low noise working



**4-stage**  
filtration



**8s**  
fill a cup of water




**600GPD**

☎ **4009 260 180** Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)





### 1st-Stage Combined Filter-PP

Effectively remove suspended solids silt and rust, etc.

### 2nd-Stage: Combined Filter- AC

Effectively remove organic matter, chlorine offensive color and odor.

### Four-Stage Filtration

### 3rd-Stage: RO Membrane Filter

Remove inorganic salts heavy metals, bacteria, virus etc.

### 4th-Stage: Post-Carbon Filter

Further enhance the taste of the water.

Function Modules	Technical Parameter
Purified Water Production Rate	600GPD
Feed Water Pressure	0.1MPa-0.4MPa
Feed Water Temp.	5°C~38°C
Feed Ambient Temp.	4°C-40°C
Feed Ambient Humidity	≤90%(25°C)
Power Adapter	Input 200-240VA 50Hz2.5A Output 24VDC 4.0A
Rated Total Pure Water Capacity	6000L
Rated Flow Rate	1.58L/min
Packaging Size	615x240x425mm
Product Size	360mmx145mmx430mm
Product Net Weight	10KG

LUCKBOIL

Drink Easily  
Enjoy Your Life

# RO Water Purifier System

LB-RC07/08



**1:1.5**

Purified water ratio



**6-Stage**

professional filtration



**50dB**

Low noise working



**Mg<sup>2+</sup>Ca<sup>2+</sup>**

Included

☎ **4009 260 180** Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)





## Six-Stage Filtration

### 01 1st-Stage : PP

Effectively remove suspended solids, silt, rust, etc.

### 02 2nd-Stage : GAC

Effectively remove organic matter, chlorine offensive color and odor from water.

### 03 3rd-Stage: CTO

Re-filtration residual chlorine, odor etc protect RO membrane.

### 04 4th-Stage: RO Membrane

Remove inorganic salts, heavy metals bacteria, virus etc.

### 05 5th-Stage : Post-Carbon Filter

Further enhance the taste of the water.

### 06 6th-Stage : T33&Mineral filter

Increase the mineral content of the water and make water delicious.

Function Modules	Technical Parameter
Input Voltage	AC100-240V/2.0A
Water Inlet Pressure	0.1-0.35MPa
Water Inlet Temp.	1°C~45°C
Model Size- Net Water Flow-Electricity Cons.	75GPD-25W 100GPD-50W 200GPD-70W 300GPD-80W 400GPD-100W
Water Source	Municipal tap water
Water Tank	6-7L
Packing Size(L*W*H)-RC07	38×28×56cm
Packing Size(L*W*H)-RC08	38×27×73cm
Total gross weight	11-15kgs ( The weight varies depending on the configuration )

**LUCKBOIL**

Drink Easily  
Enjoy Your Life

# 5+1 RO Water Purifier

Expandable "Alkaline/Mineral/Sterilization"

LB-RC09



5+1  
DIY Filter Cartridges



12-Month  
RO Membrane Lifespan



3S  
to Fill a Cup

☎ 4009 260 180 Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)





## Six-Stage Filtration

### 01 1st-Stage : PP

Remove rust, sand, solid and other large particles impurities.

### 02 2nd-Stage : GAC

Adsorb chlorine, odors, colors etc.

### 03 3rd-Stage: CTO

Further remove organics residual chlorine and odor.

### 04 4th-Stage: RO

Eliminates bacteria, viruses, heavy metals.

### 05 5th-Stage : T33

Further enhance the taste of the purified water.

### 06 6th-Stage : Add

Alkaline/Mineral/Sterilize filters.

Function Modules	Technical Parameter
Filtration System	PP → GAC → PP/CTO → RO Membrane → T33, Optional 6th Stage (Alkaline/Mineralization/Sterilization)
Daily Water Output	284 Liters
Operating Pressure	0.05MPa ~ 0.35MPa
Filter Lifespan	PP/GAC: 6 Months; RO Membrane/T33: 1 Year
Max Inlet TDS	≤1000 PPM
Water Tank Capacity	3 Liters
Power Consumption	200-240V, 50/60Hz, 40.8W

LUCKBOIL

Drink Easily  
Enjoy Your Life

# RO Water Purifier

Fully Automatic Intelligent Control

LB-RC10



0  
Stagnant Water



1st  
Grade Water Efficiency



4-Stage  
Filtration



4000L  
Total Purified Water Capacity

☎ 4009 260 180 Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)





### 4-Stage AFS

PP + SAC + RO + PAC, removes impurities bacteria, heavy metals, improves taste.

### Fully Automatic Intelligent Control

Automatic water production, flushing, and shutdown with overtime protection, ensuring convenient and worry-free operation.

Product Features

### Auto Smart Control

1:1 wastewater ratio, 1st grade water efficiency level, saving water and protecting the environment.

### Zero Stagnant Water Design

Direct drinking anytime, reduces impurity buildup improves filter efficiency by ~15-30%.

Function Modules	Technical Parameter
Flow Rate	1.5L/min; 2.0L/min; 2.5L/min
Filter Configuration	PP Filter (6 months), CTO Filter (6 months), RO Membrane (12 months), Post-Activated Carbon (12 months)
Rated Total Purified Water Volume	4000L
Working Pressure	0.1-0.4MPa
Inlet Water Temperature	5-38°C
Power Adapter	DC24V Output (RC10A/RC10B: 4.0A; RC10C: 5.0A)
Water Efficiency Grade	Grade 1 (GB 34914-2021 Certified)
Dimensions & Weight	Unit Dimensions 460×145×410mm, Net Weight 10Kg, Gross Weight 12Kg

LUCKBOIL

Drink Easily  
Enjoy Your Life



# Pre-Filter

LB-MC01



$\geq 1\mu\text{m}$

Filtering Precision



32kg

Burst Pressure Test



120,000

Pulse Tests



4.5T/H

Purified Water Capacity

☎ 4009 260 180 Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)





### 01 PP Filter

Get rid of over 1um impurities like rust, silt, particles etc.



### 02 Carbon filter

Effective absorption of chlorine odor, organics, heavy metals etc.



### 03 PP&C Filter

Dual role of adsorption and filtration remove impurities, heavy metals and other harmful substances.



#### Meet Various Water Needs

Kitchen water/bathroom water/laundry water



#### Structural Design of Vent Valve

One press pressure relief for easy filter replacement



#### Upgrad Copper Anti-Slip Threads

Prevent water leakage



#### No Electricity, No Wastewater

Energy-efficient and eco-friendly

Function Modules		Technical Parameter	
Ambient Temp.	5-40°C	Water Temp.	5-38°C
Ambient Humidity	≤90%	Water Pressure	0.14-0.45Mpa
Product Size	183*183*345mm	Water source	Municipal tap water
Material	PP Food Grade Materials	Product Weight	2.6KG

**LUCKBOIL**

Drink Easily  
Enjoy Your Life

# Bullet Ice Maker

LB-LT01Z/LB-LT02Z



**2000 Pcs**  
Ice Making Capacity/Day



**2**  
Ice Cube Modes



**6-8min**  
Fast Ice Making



**9**  
Ice Cubes per Cycle



**100**  
Ice Cubes for Capacity

 **4009 260 180** Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)





Ice full and water shortage reminders



Visual operation



Self-Cleaning function



### 3-Layer Cold Retention Barrier

Food-grade materials, Thick high-density foam layer, ABS resin layer



### 3 Convenient Features

Removable and washable ice basket  
Portable water addition, Quick drainage port



### Piston Compressor

Low Noise, energy efficient fast cooling



### Suitable for Multiple Scenarios

Home, office, dormitory, in-car, camping

Function Modules	Technical Parameter
Model	LB-LT01Z Black, LB-LT02Z White
Power Consumption	220V/50Hz, 170W
Water Tank	1.4L
Ice Shape	Bullet (Small, Big)
Refrigerant / Charge	R600a/25g
Add Water	Manually add pure wate
Ice Making Capacity	12kg/24h
Size(L*W*H)/Weight	225×300×290mm, 6.2KG

LUCKBOIL

Drink Easily  
Enjoy Your Life

# Cube Ice Maker

LB-LT01F



**8-19min**  
Fast Ice Making



**24**  
Ice Cubes per Cycle



**168**  
Ice Cubes for Capacity



**3500+ Pcs**  
Ice Making Capacity/Day

☎ **4009 260 180** Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)





Ice full and water shortage reminders



Self-Cleaning function



Visual operation



### 3-Layer Cold Retention Barrier

Food-grade materials, Thick high-density foam layer, ABS resin layer



### 3 Convenient Features

Removable and washable ice basket  
Portable water addition, Quick drainage port



### Piston Compressor

Low Noise, energy efficient, fast cooling



### Suitable for Multiple Scenarios

Home, office, shopping mall, small bar

Function Modules		Technical Parameter	
Model		LB-LT01F	
Power Consumption		220V/50Hz, 160W	
Upper Water Tank		1.8L	
Ice Shape		Cube	
Refrigerant / Charge		R290A/20g	
Add Water		Manually add pure water	
Ice Making Capacity		25kg/24h	
Size(L*W*H)/Weight		250×300×460mm, 9.2KG	

**LUCKBOIL**

Drink Easily  
Enjoy Your Life

# Sparkling Water Maker

Natural Fresh Delicious Healthy

LB-QT02



☎ 4009 260 180 Ningbo Luckboil Electrical Appliance Co.,Ltd.

Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.  
Website: [www.luckboil.com](http://www.luckboil.com)






Easy to Operate



Safe & Reliable



Instant Production



Eco-friendly & Energy-saving



Compact & Space-saving



### Working Principle

The machine uses pressure to inject food-grade CO<sub>2</sub> gas into water to make sparkling water.



### Personalized Customization

Adjustable bubble intensity to meet different preferences.



### A New Choice for Healthy Living

Promotes gastrointestinal digestion, boosts energy and enhances blood circulation.



### Infinite Combinations

Perfect for daily drinking, mixing cocktail coffee, tea, and other drinks.

Function Modules	Technical Parameter
Model	LB-QT02
Power	1W
Water Tank	1L
Add Water	Pure water
Water Temperature	1-30°C (Ice water is better)
Material	ABS
Weight	2.8KG
Packing Size(L*W*H)	230×160×450mm

## WHOLE HOUSE WATER PURIFICATION SYSTEM



Water Flow  
Monitoring



10" Multi-language  
Touchscreen



Smart PLC  
Control System



Immersed UV  
Sterilization



Visual Sterile  
Water Tank



IoT Remote  
Control

**Ningbo Luckboil Electrical Appliance Co.,Ltd.**


Address: Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.

Website: [www.luckboil.com](http://www.luckboil.com)



## 5-Stage Filtration System Multi-layer Precision Filtration

Drinkable Directly!  
Customizable 6/7-Stage Alkaline/Mineralized Water



## Product Parameters

Customized parameters flexibly meet customer requirements

Std. Config	Model	LB-QW01	LB-QW02	LB-QW03
	Dimensions (mm)	900*700*1620	900*700*1620	900*700*1620
	Gross Wt. (kg)	150	170	190
	Prod. Capacity (T/h)	0.25	0.35	0.5
	Purified Water Ratio	1:1	1:1	1:1
	Rated Power (W)	550	550	550
	Water Tank Vol. (L)	300	300	300
	Press. Head (m)	10	10	10

Std. Config	Model	LB-QW04	LB-QW02	LB-QW03
	Dimensions (mm)	1850*800*1800	1850*800*1800	1850*800*1800
	Gross Wt. (kg)	400	450	500
	Prod. Capacity (T/h)	0.5	1	2
	Purified Water Ratio	1:1	1:1	1:1
	Rated Power (W)	1500	1500	1500
	Water Tank Vol. (L)	380	380	380
	Press. Head (m)	10	10	10

**LUCKBOIL**

Drink Easily Enjoy Your Life

 **4009 260 180**

**Ningbo Luckboil Electrical Appliance Co.,Ltd.**

 Building 3, West end Hengfeng Road, Fangqiao Industrial Zone, Fangqiao Street, Fenghua, Ningbo, Zhejiang, China.

 [www.luckboil.com](http://www.luckboil.com)

